


**2-Propanol, for GC residue analysis**
**Identification**

C<sub>3</sub>H<sub>8</sub>O  
M = 60,10 g/mol  
CAS [67-63-0]  
EC number: 200-661-7  
Taric code: 2905 12 00


**Synonyms**

Isopropyl alcohol, Isopropanol, iso-Propanol, Dimethylcarbinol, 2-Hydroxypropane



**Applications**

solvents, in antifreeze compositions, cosmetics.

**Specifications**

assay (G.C.).....	min. 99,8 %	Suitable for highly volatile halogenated hydrocarbons trace analysis.
identity (IR-spectrum).....	passes test	ECD, from dichloromethane to 1,2,4-trichlorobenzene, no peaks are obtained greater than 1 ng/ml as tetrachloromethane.
density (20°/4°).....	0,784 - 0,786	
residue on evaporation.....	max. 0,0001 %	
water (K.F.).....	max. 0,05 %	
Suitable for organohalogenated pesticide and dioxins, furans and PCBs residue analysis.		
ECD, from 1,2,4-trichlorobenzene to decachlorobiphenyl, no peaks are obtained greater than 3 pg/ml as lindane. No peaks are obtained in vicinity of 2,4,5-trichlorobiphenyl.		Suitable for pesticide and polycyclic aromatic hydrocarbons residue analysis. FID, from 1-octanol to 1-tetradecanol, no peaks are obtained greater than 5 ng/ml as 1-tetradecanol. No peaks are obtained in vicinity of pyrene.

**Packaging**
**Packaging Code**

- 1 l  AL03191000
- 2,5 l  AL03192500

**Physical data**

- Density: 0,78 g/cm<sup>3</sup>
- Solub. in water: (20 °C): miscible
- Melting point: -89,5 °C
- Boiling point: 82,4 °C
- Flash point: 12 °C
- Ignition temperature: 425 °C
- Vapour pressure: (20 °C) 43 hPa
- Viscosity: (20 °C) 2,27 mPas
- Dipolar moment: (20 °C) 1,66 Debye
- Dielectric const.: (25 °C) 18,3
- Saturation conc.: (20 °C) 105 g/m<sup>3</sup>
- Expl. limit (upper): 12,7 Vol%
- Expl. limit (lower): 2 Vol%
- pH(20 °C) ~ 7
- Hygroscopic

**Safety - GHS**

**Signal Word:** Danger


**Hazard Statements:**

- H225: Highly flammable liquid and vapour.
- H319: Causes serious eye irritation.
- H336: May cause drowsiness or dizziness.

**Precautionary Statements:**

- P210: Keep away from heat / sparks / open flames / hot surfaces. - No smoking.
- P241: Use explosion-proof electrical / ventilating / lighting / equipment.
- P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P405: Store locked up.
- P501a: Dispose of contents / container in accordance with local / regional / national / international regulations.

**Toxicological data**

- LD 50 (oral, rat): 5045 mg/kg
- MAK: 200 ml/m<sup>3</sup>, 500 mg/m<sup>3</sup>
- WGK: 1
- Poison class CH (Swiss): F

**Transport/storage**

- ADR: 3 F1 II • UN 1219 • ISOPROPANOL (ISOPROPYL ALCOHOL)
- IMDG: 3 II • UN 1219 • ISOPROPYL ALCOHOL
- IATA/ICAO: 3 II • UN 1219 • ISOPROPYL ALCOHOL
- PAX: 305
- CAO: 307
- Store between 5°C and 30°C