


Identification

C_6H_{12}
 M = 84,16 g/mol
 CAS [110-82-7]
 EC number: 203-806-2
 Taric code: 2902 11 00


Synonyms

Hexahydrobenzene, Hexamethylene, Naphthene







Applications

solvents, analytical chemistry, synthesis of organic products.

Specifications

assay (G.C.).....	min. 99,5 %	nickel (Ni).....	max. 0,00002 %
identity (IR-spectrum).....	passes test	cyclohexene (G.C.).....	max. 0,05 %
density (20°/4°).....	0,776 - 0,780	aromatic hydrocarbons (as C6H6).....	max. 0,05 %
acidity.....	max. 0,001 meq/g	sulfur compounds (as S).....	max. 0,005 %
copper (Cu).....	max. 0,00002 %	substances darkened by H2SO4.....	passes test
iron (Fe).....	max. 0,00005 %	residue on evaporation.....	max. 0,001 %
lead (Pb).....	max. 0,00002 %	water (K.F.).....	max. 0,02 %

Packaging
Packaging Code

1 l		CI00311000
2,5 l		CI00312500
5 l		CI0031005L
25 l		CI0031025A
25 l		CI0031025S
200 l		CI0031200L

Physical data

- Density: 0,78 g/cm³
- Solub. in water: (20 °C): 55 mg/l
- Melting point: 6 °C
- Boiling point: 80,7 - 81 °C
- Flash point: -18 °C
- Ignition temperature: 260 °C
- Vapour pressure: (20 °C) 103 hPa
- Refraction index: (n 20 °C/D) 1,4264
- Viscosity: (kinetic, 20 °C) 1,26 mm²/s
- Dielectric const.: (20 °C) 2,0
- Evap. heat: (81 °C) 389 KJ/kg
- Saturation conc.: (20 °C) 357 g/m³
- Expl. limit (upper): 8,3 Vol%
- Expl. limit (lower): 1,2 Vol%

Safety - GHS

Signal Word: Danger

Hazard Statements:

- H225: Highly flammable liquid and vapour.
 H304: May be fatal if swallowed and enters airways.
 H400: Very toxic to aquatic life.
 H410: Very toxic to aquatic life with long lasting effects.
 H315: Causes skin irritation.
 H336: May cause drowsiness or dizziness.


Precautionary Statements:

- P210: Keep away from heat / sparks / open flames / hot surfaces. - No smoking.
 P241: Use explosion-proof electrical / ventilating / lighting / equipment.
 P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
 P321: Specific treatment (see on this label).
 P405: Store locked up.
 P501a: Dispose of contents / container in accordance with local / regional / national / international regulations.

Toxicological data

- LD 50 (oral, rat): 12705 mg/kg
- MAK: 200 ml/m³, 700 mg/m³
- WGK: 1
- Poison class CH (Swiss): 4

Transport/storage

- ADR: 3 F1 II • UN 1145 • CYCLOHEXANE
- IMDG: 3 II • UN 1145 • CYCLOHEXANE
- IATA/ICAO: 3 II • UN 1145 • CYCLOHEXANE
- PAX: 305
- CAO: 307
- Store between 15°C and 25°C