


**Identification**

C<sub>2</sub>H<sub>5</sub>OH  
 M = 46,07 g/mol  
 CAS [64-17-5]  
 EC number: 200-578-6  
 Taric code: 2207 10 00


**Synonyms**

Ethyl alcohol, Methylcarbinol, Spirit, Spirit of wine







**Applications**

solvents, disinfectant, for pharmaceuticals synthesizing, synthesis of organic products, perfumery.

**Specifications**

assay (G.C.) (v/v).....	min. 99,9 %	residue on evaporation.....	max. 0,005 %
identity (IR-spectrum).....	passes test	water (v/v) (K.F.).....	max. 0,1 %
density (20°/4°).....	0,789 - 0,790		

**Packaging**
**Packaging Code**

- 1 l  ET00021000
- 2,5 l  ET00022500
- 5 l  ET0002005P
- 10 l  ET0002010C
- 25 l  ET0002025P
- 25 l  ET0002025S

**Physical data**

- Density: 0,79 g/cm<sup>3</sup>
- Solub. in water: (20 °C): miscible
- Melting point: -114,5 °C
- Boiling point: 78,3 °C
- Flash point: 12 °C
- Ignition temperature: 425 °C
- Vapour pressure: (20 °C) 59 hPa
- Viscosity: (20 °C) 1,2 mPas
- Dipolar moment: (20 °C) 1,7 Debye
- Dielectric const.: (25 °C) 24,3
- Evap. heat: (78 °C) 855 KJ/kg
- Saturation conc.: (20 °C) 105 g/m<sup>3</sup>
- Expl. limit (upper): 15 Vol%
- Expl. limit (lower): 3,5 Vol%
- pH(10 g/l H<sub>2</sub>O, 20 °C) 7,0

**Safety - GHS**

**Signal Word:** Danger


**Hazard Statements:**

H225: Highly flammable liquid and vapour.

**Precautionary Statements:**

- P210: Keep away from heat / sparks / open flames / hot surfaces. - No smoking.
- P241: Use explosion-proof electrical / ventilating / lighting / equipment.
- P280: Wear protective gloves / protective clothing / eye protection / face protection.
- P240: Ground/bond container and receiving equipment.
- P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
- P501a: Dispose of contents / container in accordance with local / regional / national / international regulations.

**Toxicological data**

- LD 50 (oral, rat): 6200 mg/kg
- MAK: 500 ml/m<sup>3</sup>, 960 mg/m<sup>3</sup>
- WGK: 1
- Poison class CH (Swiss): F

**Transport/storage**

- ADR: 3 F1 II • UN 1170 • ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
- IMDG: 3 II • UN 1170 • ETHYL ALCOHOL
- IATA/ICAO: 3 II • UN 1170 • ETHYL ALCOHOL
- PAX: 353
- CAO: 364